

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|------------------|
| S1 | 95 | load\$ near5 need same referenced | USPAT | OR | ON | 2005/08/01 14:18 |
| S2 | 1 | load\$ near5 need same referenced. ab. | USPAT | OR | ON | 2005/08/01 14:19 |
| S3 | 11 | load\$ near5 need same referenced and ("719".clas.) | USPAT | OR | ON | 2005/08/01 14:25 |
| S4 | 0 | loading near5 need same referenced same library | US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/01 14:25 |
| S5 | 0 | load near5 need same referenced same library | US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/01 14:25 |
| S6 | 60 | load same referenced same library | US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/01 14:44 |
| S7 | 7 | (719/331,332.ccls.) and component same third adj party | USPAT | OR | ON | 2005/08/01 14:45 |
| S8 | 3 | (719/331,332.ccls.) and third adj party.ab. | USPAT | OR | ON | 2005/08/01 14:46 |
| S9 | 13 | ("717".clas.) and third adj party.ab. | USPAT | OR | ON | 2005/08/01 14:50 |
| S10 | 20 | ("717".clas.) and third adj party same load | USPAT | OR | ON | 2005/08/01 14:54 |
| S11 | 329 | ("717".clas.) and needed same load | USPAT | OR | ON | 2005/08/01 14:54 |
| S12 | 8 | ("717".clas.) and needed same load.ab. | USPAT | OR | ON | 2005/08/01 14:55 |
| S13 | 6 | ("717".clas.) and necessary same load.ab. | USPAT | OR | ON | 2005/08/01 14:57 |
| S14 | 2751 | referenc\$ same stor\$ same library | USPAT | OR | ON | 2005/08/01 14:59 |
| S15 | 340 | referenc\$ same stor\$ same library same load\$ | USPAT | OR | ON | 2005/08/01 15:00 |
| S16 | 123 | referenc\$ same stor\$ same library near5 load\$ | USPAT | OR | ON | 2005/08/01 16:42 |
| S17 | 1 | ("5193180").PN. | USPAT | OR | OFF | 2005/08/01 16:44 |
| S18 | 5 | ((("6463581") or ("6470494") or ("6502109") or ("6536035") or ("6658421"))).PN. | USPAT | OR | OFF | 2005/08/01 16:44 |



[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

"compatible" <near> "client" and "library" and " " - 2001

Ac
Sc
Sc

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Scholar [All articles](#) [Recent articles](#) Results 1 - 10 of about 15 for "**compatible**" <near> "**client**" and "**libra**

All Results

[H Levy](#)

[M Jordan](#)

[D Dillenberger](#)

[M Atkinson](#)

[A Tiwary](#)

Trace based method for the analysis, benchmarking and tuning of object oriented databases and ... - group of 3 »

HM Levy, A Tiwary, VR Narasayya - US Patent 6,145,121, 2000 - Google Patents

... 74 GEN ERATE MODI FI ED DATABASE LAYOUT **TRACE** ... **APPLICATION** SI MU LATOR... of Class CYLINDER

:1 268973 Number of Objects of Class LINKS: 352852 **Client** Buffer Cache ...

[Cited by 22](#) - [Related Articles](#) - [Web Search](#)

Building a Java virtual machine for server applications: The Jvm on OS/390 - group of 6 »

D Dillenberger, R Bordawekar, CW Clark, D Durand, ... - IBM Systems Journal, 2000 - research.ibm.com

... all aspects of the bus- iness—**client**, middle tier ... Java data types Floating point not **compatible** with OS ... the C portion of the Java **reference** implementation to ...

[Cited by 37](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [BL Direct](#)

Orthogonal Persistence for Java—A Mid-term Report - group of 11 »

M Jordan, M Atkinson - Proceedings of the 3rd International Workshop on Persistence ..., 1998 - research.sun.com

... of object-oriented programming is that a **client** accesses an ... extensible transaction model is more **compatible** with the ... cation of the program, the **library** is not ...

[Cited by 53](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

(PS) Reflection in Oberon - group of 10 »

C Steindl - Proc. of the Joint Modular Languages Conference (JMLC'97). ..., 1997 - oberon.ssw.uni-linz.ac.at

... dissertation ([Tem94]), J. Templ implemented an experimental **version** of Oberon ... via new language constructs, but via a new **library**. ... 2.3 **Reference** Information ...

[Cited by 4](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [BL Direct](#)

Issues Raised by Three Years of Developing PJama: An Orthogonally Persistent Platform for Java TM - group of 3 »

MP Atkinson, MJ Jordan - LNCS 1540: Proceedings of the 7th International Conference on ..., 1999 - Springer

... oriented programming is that a **client** access an ... from the perspective of assignment **compatibility**, the programmer ... an active use of the **referenced** class occurred ...

[Cited by 5](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

Palmist: a tool to log Palm system activity - group of 8 »

R Gannamaraju, S Chandra - Workload Characterization, 2001. WWC-4. 2001 IEEE ..., 2001 - ieeeexplore.ieee.org

... Representative **client** usage logs are invaluable in ... functions) are also indirectly **referenced** by other ... call DmCloseDatabase within the common logging **library**. ...

[Cited by 1](#) - [Related Articles](#) - [Web Search](#) - [Library Search](#)

EAST Search History

| | | | | | | |
|-----|-----|---|---|----|-----|------------------|
| S19 | 6 | ((("5193180") or ("5815718") or ("5953534") or ("6289506") or ("6349344") or ("6397378")).PN. | USPAT | OR | OFF | 2005/08/02 09:29 |
| S25 | 9 | bullock same lewis.xa, xp. and native.ab. | USPAT | OR | ON | 2005/08/02 09:35 |
| S26 | 2 | ((("6718535") or ("6748591")).PN. | USPAT | OR | OFF | 2005/08/02 09:35 |
| S27 | 0 | "6918106".uref. | USPAT | OR | ON | 2005/08/02 09:36 |
| S28 | 182 | metadata same library | USPAT | OR | ON | 2005/08/02 09:37 |
| S29 | 7 | metadata same library.ab. | USPAT | OR | ON | 2005/08/02 09:40 |
| S30 | 20 | metadata same library same load\$ | USPAT | OR | ON | 2005/08/02 09:45 |
| S31 | 29 | ("717".clas.) and library same metadata | USPAT | OR | ON | 2005/08/02 12:30 |
| S32 | 5 | loader same library same metadata | US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/02 12:30 |
| S33 | 52 | class adj loader same library | US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/02 15:35 |
| S34 | 52 | class adj loader same library | US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/02 15:47 |
| S35 | 0 | class adj loader same device near5 profile | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/04 16:31 |
| S36 | 11 | class adj loader same profile | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/04 16:35 |
| S37 | 48 | class adj loader and profile same class | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/04 16:35 |

EAST Search History

| | | | | | | |
|-----|-----|--|---|----|-----|------------------|
| S38 | 15 | 717/174-178.ccls. and referenced near2 application | US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/23 14:53 |
| S39 | 35 | 717/174-178.ccls. and referenced near2 application | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/23 15:26 |
| S40 | 6 | (("5136705") or ("5442790") or ("5758160") or ("5956506") or ("5987245") or ("6139199")).PN. | USPAT | OR | OFF | 2006/10/23 15:20 |
| S41 | 8 | 717/174-178.ccls. and referenced same application same local | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/23 15:27 |
| S42 | 6 | 717/174-178.ccls. and depend same application same local | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/23 15:29 |
| S43 | 405 | 717/174-178.ccls. and application same local | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/23 15:37 |
| S44 | 33 | 717/174-178.ccls. and application same local.ab. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/23 15:29 |
| S45 | 127 | 717/174-178.ccls. and application same local same components | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/23 16:06 |
| S46 | 92 | 717/174-178.ccls. and application same download same components | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/23 16:28 |

EAST Search History

| | | | | | | |
|-----|----|---|---|----|-----|------------------|
| S47 | 15 | ((("5212790") or ("5261095") or ("5339430") or ("5410698") or ("5613120") or ("5649204") or ("5706502") or ("5960204") or ("6185733") or ("6314566") or ("6591418") or ("5369766") or ("5408665") or ("5812927") or ("6732142"))).PN. | USPAT | OR | OFF | 2006/10/23 16:22 |
| S48 | 78 | 717/174-178.ccls. and program same download same components | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/23 16:47 |
| S49 | 38 | S48 not S46 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/23 16:29 |
| S50 | 30 | 717/174-178.ccls. and load near5 list | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/23 16:53 |
| S51 | 6 | 717/174-178.ccls. and pre-execution | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/23 16:55 |
| S52 | 2 | 717/166.ccls. and pre-execution | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/23 16:56 |
| S53 | 5 | 717/166.ccls. and load near5 list | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/23 21:21 |
| S54 | 2 | ((("5943496") or ("6202208"))).PN. | USPAT | OR | OFF | 2006/10/23 17:04 |
| S55 | 11 | "6571388".uref. | USPAT | OR | ON | 2006/10/23 17:04 |

EAST Search History

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| S56 | 18 | 717/166.ccls. and download | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/23 21:26 |
| S57 | 2 | 717/166.ccls. and profiling | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/23 21:26 |
| S58 | 26 | "717".clas. and profiling same loading | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/23 21:29 |
| S59 | 69 | "717".clas. and preloading | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/23 21:29 |
| S60 | 16 | "717".clas. and preloading same (needed or referenced) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/23 21:32 |
| S61 | 490 | "717".clas. and loading same (needed or referenced) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/23 21:32 |
| S62 | 23 | "717".clas. and loading same (needed or referenced).ab. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/23 21:41 |
| S63 | 313 | "717".clas. and (needed or referenced) near5 library | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/23 21:42 |

EAST Search History

| | | | | | | |
|-----|-----|--|---|----|-----|------------------|
| S64 | 16 | "717".clas. and (needed or referenced) near5 library.ab. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/23 22:11 |
| S65 | 48 | 717/168-173.ccls. and resource.ab. | USPAT | OR | ON | 2007/04/12 11:23 |
| S66 | 30 | 717/162-178.ccls. and client near2 compatible | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/12 12:15 |
| S67 | 12 | ((("5644766") or ("5752042") or ("5778234") or ("5790664") or ("5897640") or ("5925127") or ("5930513") or ("5987504") or ("6006035") or ("6009401") or ("6029147") or ("6041333"))).PN. | USPAT | OR | OFF | 2007/04/12 12:02 |
| S68 | 5 | ((("5586304") or ("5768566") or ("5930514") or ("5966540") or ("6205527"))).PN. | USPAT | OR | OFF | 2007/04/12 12:04 |
| S69 | 15 | "6389589".uref. | USPAT | OR | ON | 2007/04/12 12:08 |
| S70 | 1 | "6523166".pn. | USPAT | OR | ON | 2007/04/12 12:09 |
| S71 | 7 | ((("5418554") or ("5581764") or ("5991877") or ("5995756") or ("6212536") or ("6345386") or ("6389589"))).PN. | USPAT | OR | OFF | 2007/04/12 12:10 |
| S72 | 6 | 717/162-178.ccls. and client same class adj store | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/12 12:16 |
| S73 | 504 | 717/162-178.ccls. and client and compatible | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/04/12 12:16 |



[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

"compatible" and "library" and "loaded" and "version" and "application trace" - 2001

[Search](#)

Ac
Sc
Sc

The **"AND"** operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Scholar [All articles](#) [Recent articles](#) Results 1 - 10 of about 12 for **"compatible" and "library" and "loaded"**

All Results

[H Levy](#)

[F Müller](#)

[A Tiwary](#)

[V Narasayya](#)

[H Hsiao](#)

[Developing architecture adaptive algorithms using simulation with MISS-PVM for performance ... - group of 2 »](#)

DF Kvasnicka, CW Ueberhuber - Proceedings of the 11th international conference on ..., 1997 - portal.acm.org

... scale machines (contention, synchronization, or **load** balancing) have ... For Fortran programs a **compatibility library** was crea ... kinds of MISS-PVM **library** routines: ...

[Cited by 6](#) - [Related Articles](#) - [Web Search](#)

[Trace based method for the analysis, benchmarking and tuning of object oriented databases and ... - group of 3 »](#)

HM Levy, A Tiwary, VR Narasayya - US Patent 6,145,121, 2000 - Google Patents

Page 1. United States Patent US006145121A [il] Patent Number: [45] Date of

Patent: Levy et al. [54] TRACE BASED METHOD FOR THE ANALYSIS ...

[Cited by 22](#) - [Related Articles](#) - [Web Search](#)

[MICA: A Memory and Interconnect Simulation Environment for Cache-based Architectures - group of 9 »](#)

HC Hsiao, CT King - Proceedings of the 33rd IEEE Annual Simulation Symposium, 2000 - doi.ieeecs.org

... With the vast advances of x86-**compatible** microprocessors, personal computers (PCs) can now perform many tasks which were ... **Load Barrier** ... Machine dependent **library** ...

[Cited by 12](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[\[PS\] Distributed Shared Memory Threads: DSM-Threads, Description of Work in Progress - group of 6 »](#)

F Müller - Proceedings of the Workshop on Run-Time Systems for ..., 1997 - moss.csc.ncsu.edu

... a node using a history of **load** information and ... to heterogeneous support and backwards **compatibility** to Pthreads ... A **library** implementation of POSIX threads under ...

[Cited by 42](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Speculative Defragmentation-Leading Gigabit Ethernet to True Zero-Copy Communication - group of 10 »](#)

C Kurmann, F Rauch, TM Stricker - Cluster Computing, 2001 - Springer

... of a standard communication **library** for clus ... by the speculatively pre-**loaded** receive descriptor ... A first "backward **compatibility**" fallback scenario measures ...

[Cited by 7](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Advanced Interactive Executive Program Development Environment - group of 4 »](#)

RQC II, M Misra, RF Wolfe - IBM Systems Journal, 1987 - research.ibm.com

... used the system enhanced it by providing numerous tools in areas such as com- mand processors, interpretive languages, text proc- essing, **library** systems, and ...

[View as HTML](#) - [Web Search](#)

Modeling and Analysis of X86 Based Front End Architectures

SA Vlaović - 2001 - eecs.umich.edu

... performance and backward **compatibility**. ... reduced contention in the BTB by removing Dynamically Linked **Library** ... 25 Table 3.1: **Application trace** characteristics ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Library Search](#)

[book] Recent Advances in Parallel Virtual Machine and Message Passing Interface

VN Alexandrov, JJ Dongarra - 1998 - books.google.com

... on the instrumented communication functions **library**, but it can ... performance data, like the CPU **load** on a ... performance tool using OMIS-**compatible** monitoring facil ...

[Related Articles](#) - [Web Search](#) - [Library Search](#)

An object level transformation technique to improve the performance of embedded applications - group of 4 »

S Bartolini, CA Prete - Source Code Analysis and Manipulation, 2001. Proceedings. ..., 2001 - [ieeexplore.ieee.org](#)

... as the technique works at link time, **library** functions too can ... may have wider unused zones and the same **load** onto few ... of the area b is not **compatible** with the ...

[Related Articles](#) - [Web Search](#)

[book] ASP. Net: Tips, tutorials, and code - group of 10 »

S Mitchell - 2001 - books.google.com

... **Library** of Congress Catalog Card Number: 00-1 1 1729 ... Using Page_Load: Executing Code

When a Page Is **Loaded** 82. ... 5. Creating Cross-Device-**Compatible** Mobile Pages ...

[Cited by 1](#) - [Related Articles](#) - [Web Search](#) - [Library Search](#)

Google ►

Result Page: 1 2 [Next](#)

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google